

Page 1/5

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.03.2023 Version number 7 Revision: 09.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: 2SAN ENERGYBRITE
- · Article number: 0063
- · CAS Number:

15630-89-4

· EC number:

239-707-6

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use Cleaning industry
- · Product category PC35 Washing and cleaning products (including solvent based products)
- · Application of the substance / the mixture Booster for carpet cleaning solutions
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

2San UK Limited

Greenstalls Park, Costello Hill

Ilchester, Somerset, BA22 8HD

- · Further information obtainable from: Product safety department.
- · 1.4 Emergency telephone number: 01935 842509

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



flame over circle

Ox. Sol. 3 H272 May intensify fire; oxidiser.



Acute Tox. 4 H302 Harmful if swallowed.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS03

· Signal word Warning

· Hazard-determining components of labelling:

disodium carbonate, compound with hydrogenperoxide (2:3)

Hazard statements

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P220 Keep away from clothing and other combustible materials.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

(Contd. of page 1)

Safety data sheet according to 1907/2006/EC, Article 31

Version number 7 Printing date 09.03.2023 Revision: 09.03.2023

Trade name: 2SAN ENERGYBRITE

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description
- 15630-89-4 disodium carbonate, compound with hydrogenperoxide (2:3)
- Identification number(s)
- · EC number: 239-707-6
- · Regulation (EC) No 648/2004 on detergents / Labelling for contents

oxygen-based bleaching agents

≥30%

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Call for a doctor immediately.
 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.
- Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists valid during the making were used as basis.

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.03.2023 Version number 7 Revision: 09.03.2023

Trade name: 2SAN ENERGYBRITE

(Contd. of page 2)

- 8.2 Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

- · Respiratory protection: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Not required.

SECTION 9: Physical and chemical properties		
• 9.1 Information on basic physical and chemical properties • General Information • Appearance:		
Form:	Powder	
Colour:	White	
· Odour:	Odourless	
· Odour threshold:	Not determined.	
· pH-value:	Not applicable.	
Change in condition Melting point/freezing point: Undetermined. Initial boiling point and boiling range: Undetermined.		
· Flash point:	Not applicable.	
· Flammability (solid, gas):	Product is not flammable.	
Decomposition temperature:	Not determined.	
· Auto-ignition temperature:	Not determined.	
· Explosive properties:	Product does not present an explosion hazard.	
Explosion limits: Lower: Upper:	Not determined. Not determined.	
Vapour pressure:	Not applicable.	
· Density:	Not determined.	
Bulk density: Relative density Vapour density Evaporation rate	1 kg/m³ Not determined. Not applicable. Not applicable.	
· Solubility in / Miscibility with water:	Soluble.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.	
Solids content:	100.0 %	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 4)

(Contd. of page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.03.2023 Version number 7 Revision: 09.03.2023

Trade name: 2SAN ENERGYBRITE

· 10.3 Possibility of hazardous reactions No dangerous reactions known.

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed.

· LD/LC50 values relevant for classification:

15630-89-4 disodium carbonate, compound with hydrogenperoxide (2:3)

Oral LD50 1,034 mg/kg (rat) LC50/96 h 71 mg/l (fish)

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

15630-89-4 disodium carbonate, compound with hydrogenperoxide (2:3)

EC50/48 h 4.9 mg/l (daphnia)

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation Must not be disposed together with household waste. Do not allow product to reach sewage system.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information		
· 14.1 UN-Number · ADR, IMDG, IATA	UN3378	
· 14.2 UN proper shipping name · ADR · IMDG, IATA	3378 SODIUM CARBONATE PEROXYHYDRATE SODIUM CARBONATE PEROXYHYDRATE	

(Contd. on page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Version number 7 Printing date 09.03.2023 Revision: 09.03.2023

Trade name: 2SAN ENERGYBRITE

	(Contd. of pag
14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
55	
Class	5.1 Oxidising substances.
Label	5.1
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Warning: Oxidising substances.
Hazard identification number (Kemler code):	50
EMS Number:	F-A,S-Q
Segregation groups	(SGG16) Peroxides
Stowage Category	A
Stowage Code	SW1 Protected from sources of heat. SW23 When transported in BK3 bulk container, see 7.6.2.12 a 7.7.3.9.
Handling Code	H1 Keep as dry as reasonably practicable
Segregation Code	SG59 Stow "separated from" SGG14-permanganates
14.7 Transport in bulk according to Annex II of Ma and the IBC Code	arpol Not applicable.
	Not applicable.
Transport/Additional information:	
ADR	F l
Limited quantities (LQ) Excepted quantities (EQ)	5 kg Code: E1
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g
Transport category	3
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	5 kg
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
	maximum net quantity per outer packaging. 1000 g

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU

· UN "Model Regulation":

- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category P8 OXIDISING LIQUIDS AND SOLIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

UN 3378 SODIUM CARBONATE PEROXYHYDRATE, 5.1, III

· Department issuing SDS: Product safety department.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Ox. Sol. 3: Oxidizing solids – Category 3 Acute Tox. 4: Acute toxicity – Category 4